

## UNITED STATES PATENTAND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231

							www.uspio.gov
APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTY.DOCKET.NO	DRAWINGS	TOT CLAIMS	IND CLAIMS
09/864,972	05/26/2001	2835	764	0112690- 045	4	23	3
	21	†		<b>5</b> 11 18	CON	IFIRMATIO	N NO. 3436

William E. Vaughan Bell, Boyd & Lloyd LLC P.O. Box 1135 Chicago, IL 60690-1135 FILING RECEIPT

\*OC000000006332799\*

Date Mailed: 07/24/2001

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Customer Service Center. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Dan Stanek, Chicago, IL; John Kennedy, Tuscola, IL;

Domestic Priority data as claimed by applicant

RECEIVED

**Foreign Applications** 

OCT 2 4 2001

OFFICE OF PETITIONS

If Required, Foreign Filing License Granted 07/23/2001

Projected Publication Date: To Be Determined - pending completion of Corrected Papers

Non-Publication Request: No

Early Publication Request: No

RECEIVED
BELL, BOYD & LLOYD
INTELLECTUAL PROPERTY DOCKET

**Title** 

Diagnostic blown fuse indicator

JUL 2 7 2001

**Preliminary Class** 

337

ATTY· \_\_\_\_\_

		AA	#\$ 630	
©CT 1 5 2001 &	TRANSMITTAL LETTER (General - Patent Pending)		Docket No. 112690-045	
In Application of:	Dan Stanek, et al.	8		
Serial No. 09/864,972	Filing Date May 24, 2001	Examiner	Group Art Unit	
Title: DIAGNOSTIC I	BLOWN FUSE INDICATOR	· · · · · · · · · · · · · · · · · · ·		
	TO THE ASSISTANT COM	MISSIONER FOR PATENTS	<u>:</u>	
Transmitted herewith is:				
	ed Application Papers; Transmittal eck for \$110.00; and return receipt		of drawings; Petition for	
in the above identified a	application.			
☐ No additional fee	•			
	nount of \$110.00 is attac mmissioner is hereby authorized t		Account No. 02-1818	
	ow. A duplicate copy of this sheet			
☐ Charge the amount of				

Tubelle Consideration

Credit any overpayment.

Charge any additional fee required.

Dated: October 10, 2001

Robert W. Connors Reg. No. 46,639

Bell, Boyd & Lloyd LLC

P.O. Box 1135

Chicago, IL 60690

I certify that this document and the is being deposited on 10/10/91 with the U.S. Postal Service as first class mail under 87 C.F.B. 1/8 and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 2023/

Signature of Person Mailing Correspondence

Robert J. Buccieri

Typed or Printed Name of Person Mailing Correspondence

CC:



STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER

FILING/RECEJPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

09/864,972

05/26/2001

Dan Stanek

0112690-045

CONFIRMATION NO. 3436

FORMALITIES LETTER

\*OC00000006332800\*

William E. Vaughan Bell, Boyd & Lloyd LLC P.O. Box 1135 Chicago, IL 60690-1135

Date Mailed: 07/24/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

## Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

TRAI	Docket No. 112690-045			
	112090-043			
In Re Application Of:		OCT 1 5 2001		
Serial No.	Filing Date	Batch No. PADEN AND Exam	iner Art Unit	
09/864,972	May 24, 2001			
Invention: DIAGNO	STIC BLOWN FUSE I	NDICATOR		
			i	
	A	Address to: assistant Commissioner for Patents Washington, D.C. 20231		
Transmitted herewith a	are:			
3 sheets of formal drawing(s) for this application.				
on the reverse side of	the drawing.	g indicia suggested in 37 CFR Section	1.84(c)	
Robert W. Conno Reg. No. 46,639 Bell, Boyd & Lloy P.O. Box 1135 Chicago, IL 6069	Signature ors od LLC	Washington, D.	his document and attached formal drawings sized on 10/10/20 with the pice as first class mail under 37 C.F.R. 1.8 to the Assistant Commissioner for Patents, 0. 20231	

US 0986497205P1



Creation date: 10-17-2003

Indexing Officer: GMUNGAI - GATHONI MUNGAI

Team: OIPEBackFileIndexing

Dossier: 09864972

Legal Date: 12-17-2001

No.	Doccode	Number of pages
1	PETDEC	3

Total number of pages: 3

Remarks:

Order of re-scan issued on .....